

**INJECTION WELL PLUGGING PLAN
40 CFR §146.92(b)**


Brown Pelican CO₂ Sequestration Project

| | |
|---|----|
| INJECTION WELL PLUGGING PLAN 40 CFR §146.92(b)..... | 1 |
| 1.0 Facility Information and Overview..... | 1 |
| 2.0 CO ₂ Injection Wells | 2 |
| 2.1 Planned Tests or Measures to Determine Bottomhole Reservoir Pressure..... | 2 |
| 2.2 Planned Mechanical Integrity Test(s) | 3 |
| 2.3 Information on Plugs..... | 6 |
| 2.4 Plugging Schematics | 7 |
| 3.0 Narrative Description of Plugging Procedures | 12 |
| 3.1 Notifications, Permits, and Inspections | 12 |
| 3.2 Plugging Procedures for BRP CCS1 | 12 |
| 3.3 Plugging Procedures for BRP CCS2 | 14 |
| 3.4 Plugging Procedures for BRP CCS3 | 15 |

1.0 Facility Information and Overview

Facility name: Brown Pelican CO₂ Sequestration Project
BRP CCS1, CCS2 and CCS3 Wells

Facility contact:



Well location: Penwell, Texas

| | | |
|----------|-------------|---------------|
| BRP CCS1 | 31.76481926 | -102.72891895 |
| BRP CCS2 | 31.76994887 | -102.73320589 |
| BRP CCS3 | 31.76024766 | -102.71013484 |

Oxy Low Carbon Ventures, LLC (OLCV) will conduct injection well plugging and abandonment (P&A) according to the procedures contained in this document.

The UIC Class VI injection wells will be plugged and abandoned in accordance with the requirements of Environmental Protection Agency (EPA) document 40 CFR Subpart H – Criteria and Standards Applicable to Class VI Wells. The plugging procedure and materials will be designed to prevent any unwanted fluid movement, resist the corrosive aspects of carbon dioxide (CO₂) with water mixtures, and protect any underground sources of drinking water (USDWs).

Plugging procedures for UIC Class VI wells are presented in this document. Plugging plans for monitoring and water withdrawal wells are presented in Appendix A of this document.

2.0 CO₂ Injection Wells

2.1 Planned Tests or Measures to Determine Bottomhole Reservoir Pressure

1. After injection has ceased, the well will be flushed with a kill fluid. A minimum of three tubing volumes will be injected without exceeding the fracture pressure. All kill fluids that will be pumped will be 10 ppg NaCl brine.
2. Bottomhole pressure measurements will be taken using the installed downhole gauges. In case the gauges are not functioning properly, the operator will run a pressure gauge during the P&A process of the well.
3. A Temperature log will be run, and the well will be pressure tested to ensure integrity both inside and outside the casing before plugging. Production Logging Tool (PLT), tracers, and noise or active pulsed neutron logs could be run in substitution.
4. If a loss of mechanical integrity is discovered, the well will be repaired before proceeding further with the plugging operations.
5. All casing in this well will have been cemented to the surface at the time of construction and will not be retrievable at abandonment.
6. After injection is terminated permanently, the injection tubing and packer will be removed.
7. The balanced-plug placement method will be used to plug the well. A cement retainer will be used to isolate the perforated section and prevent flowback of formation fluids that could contaminate the plug.
8. All of the casing strings will be cut off at least 5 ft below the surface and plow line.
9. A blanking plate with the required permit information will be welded on top of the cutoff casing.

Any necessary revisions to the well plugging plan to address any new information collected during logging, testing, and completion of the well will be made after these activities have been

completed. The final plugging plan will be submitted to the Underground Injection Control (UIC) Program Director.

2.2 Planned Mechanical Integrity Test(s)

OLCV will conduct a temperature log and potentially additional logs listed in Table 1 and a pressure test to verify mechanical integrity before plugging the UIC Class VI injection well, as required by 40 CFR §146.92(a).

Table 1—Planned and Possible Mechanical Integrity Tests

| Test Description | Location |
|--------------------------------------|------------------------------|
| Temperature log (External MIT) | UIC Class VI injection wells |
| Pulsed neutron log (External MIT) | UIC Class VI injection wells |
| Noise log (External MIT) | UIC Class VI injection wells |
| Annular Pressure Test (Internal) | UIC Class VI injection wells |

The following tools are able to detect fluid movements behind the long string casing. Tools will be run on wireline. Quality assurance for the logs will be provided by the vendor at time of selection.

Temperature logs are used to locate gas entries, detect casing leaks, and evaluate fluid movement behind casing. They are also used to detect lost-circulation zones and cement placement. Temperature logs are used as a basic diagnostic tool and are usually paired with other tools like acoustics or multi arms calipers if more in depth analysis is required.

Temperature instruments used today are based on elements with resistances that vary with temperature. The variable resistance element is connected with bridge circuitry or constant current circuit, so that a voltage response proportional to temperature is obtained. The voltage signal from temperature device is then usually converted to a frequency signal transmitted to the surface, where it is converted back to a voltage signal and recorded. The absolute accuracy of temperature logging instruments is not high (in the order of +/- 5°F), but the resolution is good (0.05°F) or better, although this accuracy can be compromised by present day digitalization of the signal on the surface. The temperature instrument usually can be included in the string with other tools, such as radioactive tracer tools or spinners flowmeters. Temperature logs are run continuously, typically at cable speeds of 20 to 30 ft/min.

The following tools could be run in substitution of temperature log. They follow the same principle of detection of anomalies outside the Injection Zone.

Pulse neutron log (PNL) provides formation evaluation and reservoir monitoring in cased holes. PNL is deployed as a wireline logging tool with an electronic pulsed neutron source and one or more detectors that typically measure neutrons or gamma rays. High-speed digital signal electronics process the gamma ray response and its time of arrival relative to the start of the neutron pulse. Spectral analysis algorithms translate the gamma ray energy and time relationship into concentrations of elements. Each logging company has its own proprietary designs and improvements on the tool.

Schlumberger's Pulsar Multifunction Spectroscopy Service (PNX) pairs multiple detectors with a high output pulsed neutron generator in a slim tool with an outer diameter (OD) of 1.72 inches for through-tubing access in cased hole environments. The housing is corrosion-resistant, allowing deployment in wellbore environments such as CO₂. The tool's integration of the high neutron output and fast detection of gamma rays with proprietary pulse processing electronics, allows to differentiate and quantify gas-filled porosity from liquid-filled and tight zones. The tool can accurately determine saturation in any formation water salinity across a wide range of well conditions, mineralogy, lithology, and fluid contents profile at any inclination. Detection limits for CO₂ saturation for the PNX tool vary with the logging speed as well as the formation porosity. Detailed measurement and mechanical specifications for the PNX tool are provided in the QASP document. The wireline operator will provide QA/QC procedures and tool calibration for their equipment.

Haliburton's RMT-D reservoir monitor tool: The Halliburton Reservoir Monitor Tool 3-Detector™ (RMT-3D™) pulsed-neutron tool solves for water, oil, and gas saturations within reservoirs using three independent measurements (Sigma, C/O, and SATG). This provides the ability to uniquely solve simple or complex saturation profiles in reservoirs, while eliminating phase-saturation interdependency. The RMT-#D provides gas phase analysis to identify natural gases, nitrogen, CO₂, steam, and air. The tool has 2.125 inch OD that allows it to be run through tubing.

Pass/Fail Criteria

Well plugging is considered passed when the plugging operations meets the objective of minimizing the risk of fluid from deeper zones leaking to a USDW.

Temperature Survey

The temperature log is one of the approved logs for detecting fluid movement outside pipe. A final differential temperature survey will be run during plugging operations and will provide a final temperature curve.

The temperature will be logged from the surface to total depth in the well. Recommended line speed for the logging operations is 20 to 30 ft/minute. In general, the procedure for wireline operations will be as follows:

1. Attach a temperature probe and casing collar locator (CCL) to the wireline.
2. Begin the temperature survey. The tools will be lowered into well at 20 to 30 feet/minute, recording temperature in wellbore. The temperature survey will be run to the deepest attainable depth in the wellbore.
3. Following completion of the survey, the wireline tools will be retrieved from the wellbore.
4. A successful temperature log will “PASS” if there are no observed, unexplained anomalies outside of the Injection Zone.
5. If temperature anomalies are observed outside of the Injection Zone, additional logging may be conducted to determine whether a loss of mechanical integrity or containment has occurred. Depending on the nature of the suspected movement, radioactive tracer, noise, oxygen activation, or other logs approved by the UIC Program Director may be required to further define the nature of the fluid movement or to diagnose a potential leak.

Pressure Test

After setting the initial plug across the well completion interval / perforation, an annular pressure test (APT) will be conducted to verify internal mechanical integrity. The APT is a short-term pressure test (30 minutes) where the well is shut in and the fluid in the annulus is pressurized to a predetermined pressure and is monitored for leak off. OLCV will use a test pressure of 500 psi for the Mechanical Integrity Test (MIT). OLCV will use a 5% decrease in pressure (test pressure x .05) from the stabilized test pressure during the duration of the test to determine if the test is successful. If the annulus pressure decreases by $\geq 5\%$, the well will have failed the APT. If a well fails an APT, the test will be repeated. If the APT is again failed, the downhole equipment will be removed from the well and the source of the failure will be investigated. In general, the test procedure will be as follows:

1. Connect a high-resolution pressure transducer to the annulus casing valve and increase the annulus pressure to 500 psi and hold this pressure for 30 minutes.
2. At the conclusion of the 30-minute test the annulus pressure will be bled off to 0 psi and the pressure recording equipment will be removed from the casing valve.

Note: If a failure in the long string casing is identified, the operator will prepare a plan to repair the well before plugging and abandonment.

2.3 Information on Plugs

OLCV will use the materials and methods noted in Table 2, Table 3, and Table 4 to plug the UIC Class VI injection wells. The volume and depth of plugs reflect geology encountered during construction. Updates may be required pending the configuration of the wells at the time of plugging.

The cement(s) formulated for plugging will be compatible with CO₂. Discussion about CO₂ resistant cement selection and additive is located in the Construction Plan – Appendix B. The cement formulation and required certification documents will be submitted to the agency along with the well plugging plan. OLCV will report the wet density and will retain duplicate samples of the cement used for each plug. In plugging procedures in Section 3.0, curing time for CO₂ resistant cement is assumed to be 4 hours. The curing time for the CO₂ resistant plugs will be determined at time of operation via laboratory testing in compliance with API 10B2 (Testing of Oilwell Cements). OLCV utilizes industry recognized thresholds of 50 psi compressive strength to pressure test and 500 psi compressive strength for physically tagging. 500 psi (or greater) compressive strength will be achieved for abandonment slurries and will be reached in < 48 hours after placement. All plug mud will be 9.5-10 ppg NaCl brine with lime added at 1.0 ppb (pound per barrel) to raise the PH to >10.5 to combat corrosion, H₂S and CO₂ contamination. Xanthan gel will be added to the mud so that the viscosity is > 50 sec/qt.

Table 2—Information on Cement Plugs for BRP CCS1

| Plug No. | Placement Method | Type Slurry | ID (in.) | MD Depths (ft) | Density (ppg) | Sacks | bbl |
|----------|------------------|-----------------------------------|----------|----------------|---------------|-------|-----|
| 1 | Squeeze plug | CO ₂ -resistant cement | 4.892 | 4,500 to 5,600 | 14.8 | 276 | 64 |
| 2 | Balance plug | CO ₂ -resistant cement | 4.892 | 4,400 to 4,500 | 14.8 | 12 | 3 |
| 3 | Balance plug | CO ₂ -resistant cement | 4.892 | 4,000 to 4,200 | 14.8 | 24 | 6 |
| 4 | Balance plug | CO ₂ -resistant cement | 4.892 | 3,757 to 3,950 | 14.8 | 24 | 6 |
| 5 | Balance plug | CO ₂ -resistant cement | 4.892 | 2,553 to 2,653 | 14.8 | 12 | 3 |
| 6 | Balance plug | CO ₂ -resistant cement | 4.892 | 1,739 to 1,839 | 14.8 | 12 | 3 |
| 7 | Balance plug | CO ₂ -resistant cement | 4.892 | 808 to 908 | 14.8 | 12 | 3 |
| 8 | Balance plug | CO ₂ -resistant cement | 4.892 | 0 to 475 | 14.8 | 56 | 13 |

Notes:

- All plug depths will be reviewed and adjusted, if needed, by EPA and Texas RRC prior to commencing plugging operations.

Table 3—Information on Cement Plugs for BRP CCS2

| Plug No. | Placement Method | Type Slurry | ID (in.) | MD Depths (ft) | Density (ppg) | Sacks | bbl |
|----------|------------------|-----------------------------------|----------|----------------|---------------|-------|-----|
| 1 | Squeeze plug | CO ₂ -resistant cement | 4.892 | 4,390 to 5,200 | 14.8 | 208 | 48 |
| 2 | Balance plug | CO ₂ -resistant cement | 4.892 | 4,290 to 4,390 | 14.8 | 12 | 3 |
| 3 | Balance plug | CO ₂ -resistant cement | 4.892 | 3,984 to 4,184 | 14.8 | 24 | 6 |
| 4 | Balance plug | CO ₂ -resistant cement | 4.892 | 3,747 to 3,950 | 14.8 | 24 | 6 |
| 5 | Balance plug | CO ₂ -resistant cement | 4.892 | 2,556 to 2,656 | 14.8 | 12 | 3 |
| 6 | Balance plug | CO ₂ -resistant cement | 4.892 | 1,738 to 1,838 | 14.8 | 12 | 3 |
| 7 | Balance plug | CO ₂ -resistant cement | 4.892 | 815 to 915 | 14.8 | 12 | 3 |
| 8 | Balance plug | CO ₂ -resistant cement | 4.892 | 0 to 475 | 14.8 | 56 | 13 |

Notes:

- All plug depths will be reviewed and adjusted, if needed, by EPA and Texas RRC prior to commencing plugging operations.

Table 4—Information on Cement Plugs for BRP CCS3

| Plug No. | Placement Method | Type Slurry | ID (in.) | MD Depths (ft) | Density (ppg) | Sacks | bbl |
|----------|------------------|-----------------------------------|----------|----------------|---------------|-------|-----|
| 1 | Squeeze plug | CO ₂ -resistant cement | 4.892 | 4,950 to 6,150 | 14.8 | 303 | 70 |
| 2 | Balance plug | CO ₂ -resistant cement | 4.892 | 4,850 to 4,950 | 14.8 | 12 | 3 |
| 3 | Balance plug | CO ₂ -resistant cement | 4.892 | 4,244 to 4,444 | 14.8 | 24 | 6 |
| 4 | Balance plug | CO ₂ -resistant cement | 4.892 | 3,697 to 3,897 | 14.8 | 24 | 6 |
| 5 | Balance plug | CO ₂ -resistant cement | 4.892 | 2,518 to 2,618 | 14.8 | 12 | 3 |
| 6 | Balance plug | CO ₂ -resistant cement | 4.892 | 1,738 to 1,838 | 14.8 | 12 | 3 |
| 7 | Balance plug | CO ₂ -resistant cement | 4.892 | 789 to 889 | 14.8 | 12 | 3 |
| 8 | Balance plug | CO ₂ -resistant cement | 4.892 | 0 to 475 | 14.8 | 56 | 13 |

Notes:

- All plug depths will be reviewed and adjusted, if needed, by EPA and Texas RRC prior to commencing plugging operations.

2.4 Plugging Schematics

The proposed plugging schematic for BRP CCS1 is shown in Figure 1, the proposed plugging schematic for BRP CCS2 is shown in Figure 2 and the plugging schematic for BRP CCS3 is shown in Figure 3. A sample EPA Plugging and Abandonment Plan form is found in Figure 4.




Figure 1—BRP CCS1 injection well plugging schematic

Plan revision number: 4

Plan revision date: 03/21/2025




Figure 2—BRP CCS2 injection well plugging schematic

Plan revision number: 4

Plan revision date: 03/21/2025




Figure 3—BRP CCS3 injection well plugging schematic

Plan revision number: 4

Plan revision date: 03/21/2025

| | | | | | | | | |
|---|-------------------|--|--------------------------------|----------------------------------|----------------|----------------|----------------|----------------|
| | | OMB No. 2040-0042 | Approval Expires 11/30/2014 | | | | | |
| EPA | | United States Environmental Protection Agency Washington, DC 20460 | | | | | | |
| PLUGGING AND ABANDONMENT PLAN | | | | | | | | |
| Name and Address of Facility Morgan County Class VI UIC Well #1 (cased well completion, 1,500 ft lateral) [address not yet available] | | Name and Address of Owner/Operator FutureGen Alliance, Inc. 73 Central Park Plaza East, Jacksonville, IL 62650 | | | | | | |
| Locate Well and Outline Unit on Section Plat - 640 Acres | | State Illinois | County Morgan | | | | | |
| | | Permit Number not yet issued | | | | | | |
| | | Surface Location Description SE 1/4 of SE 1/4 of SW 1/4 of SE 1/4 of Section 26 Township 16N Range 9W | | | | | | |
| Locate well in two directions from nearest lines of quarter section and drilling unit | | | | | | | | |
| Surface Location <input type="checkbox"/> ft. from (N/S) <input type="checkbox"/> Line of quarter section and <input type="checkbox"/> ft. from (E/W) <input type="checkbox"/> Line of quarter section. | | | | | | | | |
| TYPE OF AUTHORIZATION <input checked="" type="checkbox"/> Individual Permit <input type="checkbox"/> Area Permit <input type="checkbox"/> Rule | | WELL ACTIVITY <input type="checkbox"/> CLASS I <input type="checkbox"/> CLASS II <input type="checkbox"/> Brine Disposal <input type="checkbox"/> Enhanced Recovery <input type="checkbox"/> Hydrocarbon Storage <input type="checkbox"/> CLASS III | | | | | | |
| Number of Wells <input type="text" value="1"/> | | Lease Name <input type="text"/> | | | | | | |
| Well Number <input type="text"/> | | | | | | | | |
| CASING AND TUBING RECORD AFTER PLUGGING | | | | | | | | |
| SIZE | WT (LB/FT) | TO BE PUT IN WELL (FT) | TO BE LEFT IN WELL (FT) | HOLE SIZE | | | | |
| 24" | 140.0 | 140 | 140 | 30" | | | | |
| 16" | 84.0 | 570 | 570 | 20" | | | | |
| 10 3/4" | 51.0 | 3,150' | 3,150' | 14 3/4" | | | | |
| 7" | 29.0 | 6,004' | 6,004' | 9 1/2" | | | | |
| CEMENTING TO PLUG AND ABANDON DATA: | | PLUG #1 | PLUG #2 | PLUG #3 | PLUG #4 | PLUG #5 | PLUG #6 | PLUG #7 |
| Size of Hole or Pipe in which Plug Will Be Placed (inche | | 7" | 7" | 7" | 7" | 7" | 7" | |
| Depth to Bottom of Tubing or Drill Pipe (ft | | 6,004 | 3,900 | 3,100 | 1,800 | 1,500 | 700 | |
| Sacks of Cement To Be Used (each plug) | | 451 | 149 | 0 | 53 | 0 | 124 | |
| Slurry Volume To Be Pumped (cu. ft.) | | 505 | 167 | 271 | 63 | 167 | 146 | |
| Calculated Top of Plug (ft.) | | 3,900 | 3,100 | 1,800 | 1,500 | 700 | 0 (01) | |
| Measured Top of Plug (if tagged ft.) | | 3,900 | 3,100 | 1,800 | 1,500 | 700 | 0 (01) | |
| Slurry Wt. (Lb./Gal.) | | 15.82 | 15.82 | 8.6 | 15.6 | 8.6 | 15.6 | |
| Type Cement or Other Material (Class III) | | EverCrete | EverCrete | 8% Gel | Class A | 8% Gel | Class A | |
| LIST ALL OPEN HOLE AND/OR PERFORATED INTERVALS AND INTERVALS WHERE CASING WILL BE VARIED (if any) | | | | | | | | |
| From | To | From | To | | | | | |
| (7" perforated casing) 3,950 ft MD | 6,004 ft MD | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| Estimated Cost to Plug Wells | | | | | | | | |
| Plug #1 Set through a cement retainer set at 3,900 ft MD \$600,000.00 | | | | | | | | |
| Certification | | | | | | | | |
| I certify under the penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. (Ref. 40 CFR 144.32) | | | | | | | | |
| Name and Official Title (Please type or print) Kenneth K. Humphreys, Chief Executive Officer | | Signature <i>Kenneth K. Humphreys</i> | | Date Signed 03/03/2014 | | | | |
| EPA Form 7520-14 (Rev. 12-11) | | | | | | | | |

Figure 4—Sample EPA Plugging and Abandonment Plan form


3.0 Narrative Description of Plugging Procedures

3.1 Notifications, Permits, and Inspections

In compliance with 40 CFR §146.92(c), OLCV will notify the regulatory agency at least 60 days before plugging the well and provide an updated Injection Well Plugging Plan, if applicable.

3.2 Plugging Procedures for BRP CCS1


[REDACTED]



The procedures described above are subject to modification during execution as necessary to ensure a successful plugging operation. Any significant modifications due to unforeseen circumstances will be described in the plugging report.

3.3 Plugging Procedures for BRP CCS2

The image consists of a series of horizontal bars of varying lengths and positions, rendered in black on a white background. The bars are irregular and appear to be a digital representation of a signal or a heavily processed image. There are several long, thin bars on the left side, followed by a large, solid black block. To the right of this block, there are several shorter, horizontal bars of varying lengths, with some being very thin and others being thicker. The overall effect is a high-contrast, abstract pattern.



The procedures described above are subject to modification during execution as necessary to ensure a successful plugging operation. Any significant modifications due to unforeseen circumstances will be described in the plugging report.

3.4 Plugging Procedures for BRP CCS3



Plan revision number: 4

Plan revision date: 03/21/2025


1

2

3

4

5



The procedures described above are subject to modification during execution as necessary to ensure a successful plugging operation. Any significant modifications due to unforeseen circumstances will be described in the plugging report.